

Intended Use

This unit may only be used as a radio receiver for low voltage applications (12-24 V DC)!

Connecting

- Power supply: +V, GND
 - Output: OUT
- n.c. = not connected

Specifications

Power supply: 12-24 V DC
 Current consumption: approx. 13 mA
 Frequency/Modulation: 868.3 MHz / ASK
 Output: 1 (TTL Level)
 Sensitivity: < 1,2 µV
 Bandwidth: ± 200 kHz
 Operating Temperature: -20°C to +60°C

Warranty

Within the statutory warranty period we undertake to rectify free of charge by repair or replacement any product defects arising from material or production faults.

Any non-authorized alterations or modifications to the product shall render this warranty null and void.

Conformity

This product complies with the essential requirements of the R&TTE directive 1999/5/EG.




The Declaration of Conformity is available on the Internet at: www.eldat.de.

Customer Service

If, despite correct handling, faults or malfunctions occur or if the product was damaged, please contact the company at the address below:

ELDAT GmbH
 Im Gewerbepark 14
 15711 Zeesen/Germany
 Phone: + 49 (0) 33 75 / 90 37-0
 Telefax: + 49 (0) 33 75 / 90 37-90
 Internet: www.eldat.de
 e-Mail: info@eldat.de

66254 0505 D/GB



Intended Use

This unit may only be used as a radio receiver for low voltage applications (12-24 V DC)!

Connecting

- Power supply: +V, GND
 - Output: OUT
- n.c. = not connected

Specifications

Power supply: 12-24 V DC
 Current consumption: approx. 13 mA
 Frequency/Modulation: 868.3 MHz / ASK
 Output: 1 (TTL Level)
 Sensitivity: < 1,2 µV
 Bandwidth: ± 200 kHz
 Operating Temperature: -20°C to +60°C

Warranty

Within the statutory warranty period we undertake to rectify free of charge by repair or replacement any product defects arising from material or production faults.

Any non-authorized alterations or modifications to the product shall render this warranty null and void.

Conformity

This product complies with the essential requirements of the R&TTE directive 1999/5/EG.



The Declaration of Conformity is available on the Internet at: www.eldat.de.

Customer Service

If, despite correct handling, faults or malfunctions occur or if the product was damaged, please contact the company at the address below:

ELDAT GmbH
 Im Gewerbepark 14
 15711 Zeesen/Germany
 Phone: + 49 (0) 33 75 / 90 37-0
 Telefax: + 49 (0) 33 75 / 90 37-90
 Internet: www.eldat.de
 e-Mail: info@eldat.de

66254 0505 D/GB